

## FOOD ALLERGY ACTION PLAN

Place

`	(N. 1)14			Child's
Student	t			Picture
Name:		D.O.B:	Teacher:	Here
ALLEI	RGY TO:			
Asthma	atic Yes* No *	Higher risk for severe reaction		
		STEP 1: TREAT	<u> MENT</u>	
Symp	toms:		Give Checked (To be determined by	Medication: physician authorizing treatment)
If a	food allergen has been ingested,	but no symptoms:	☐ Epinephrine	Antihistamine
Mou	uth: Itching, tingling, or swe	lling of lips, tongue, mouth	☐ Epinephrine	Antihistamine
Skir	n: Hives, itchy rash, swellin	ng of the face or extremities	☐ Epinephrine	Antihistamine
Sto	mach: Nausea, abdominal cram	nps, vomiting, diarrhea	☐ Epinephrine	Antihistamine
Thre	oat:** Tightening of throat, hoa	rseness, hacking cough	☐ Epinephrine	Antihistamine
Lun	g:** Shortness of breath, repe	titive coughing, wheezing	☐ Epinephrine	Antihistamine
Hea	art:** Thready pulse, low blood	pressure, fainting, pale, blueness	☐ Epinephrine	Antihistamine
Oth	er:		☐ Epinephrine	Antihistamine
	reaction is progressing (several of	the above areas affected), give	Epinephrine	Antihistamine
**P	otentially life-threatening. The sever	ity of symptoms can quickly change.		
	, .			
DOSA	GE			
Epinephrine: inject intramuscularly (please circle one)			EpiPen <sup>®</sup> 0.3mg AUVI-Q <sup>®</sup> 0.3mg	EpiPen <sup>®</sup> Jr. 0.15 mg AUVI-Q <sup>®</sup> 0.15mg
Benadr	ryl/Antihistamine (Must be gi	ven by the nurse only)		
Medication/Dose/Route				oute
ΙΜΡΩΙ	RTANT: Asthma inhalars an	d/or antihistamines cannot be	denended on to renlece er	ninanhrina in ananhylavis
IIVII ()I	KTANT, Astiina iiniaicis an	u/or antinistamines cannot be	ucpended on to replace ep	этеритие ш апарпутахіз.
		<b>STEP 2: EMERGENC</b>		
1. Ca	Call 911. State that an allergic reaction has been treated, and additional epinephrine may be needed.			
2. Dr	r.:	at		
	mergency Contact Information ame Relationship Phone Number(s)			·)
Parent/C	Guardian Signature:			Date:
Doctor's Signature:				
DOCIOI S	o orginature.			Date:

(Required)